Result scoring

Results of pilot schemes are not scored as they are designed to gather information to determine the best way of scoring after transition to a full scheme.

In the background, we will be looking at a number of factors, including the 'titre score' to determine if this should be used; this may help inform BSH guidelines.

Performance monitoring

Pilot schemes are not performance monitored, but we are happy to discuss results and offer suggestions. Any comments on the design of the scheme are always welcome.

Confidentiality is always maintained.

How we can help

UK NEQAS BTLP are here to help however we can. We are always happy to discuss any questions you may have. Please contact us if you have any questions about

- Is this the right scheme for you?
- How much does it cost?
- How does it work?
- How to register?
- Are there other schemes for you?

UK NEQAS Haematology and Transfusion

Contact us

Scheme enquiries

btlp@ukneqas.org.uk

+44 (0) 1923 217 933

www.ukneqasbtlp.org

Registration enquiries

ghadmin@ukneqas.org.uk

+44 (0) 1923 217 933



UK NEQAS Haematology and Transfusion

Antenatal Titration

ANT Pilot scheme





UK NEQAS – Watford

UK NEQAS Blood Transfusion Laboratory Practice (BTLP) has been operating since 1985.

We are based in Watford, and every year we send samples to over 1000 participants in over 50 countries, across all of our transfusion schemes.

We have been fully CPA/UKAS accredited since 1999.

The BTLP team in 2017



Benefits of EQA

External Quality Assessment (EQA) forms an essential part of quality assurance and provides evidence of the laboratory's performance.

EQA helps with

- Demonstrating strengths and weaknesses in systems
- Monitoring performance
- Delivering education
- Providing evidence for guidelines and manufacturers
- Improving standards overall
- Supporting accreditation

Samples

Each exercise contains one sample, created to replicate a sample of patient plasma. Information about the patient, and the antibody identity are provided.

Our samples are prepared from donated units of plasma by the NHSBT Reagents Unit in Liverpool.

All material used has been tested and found negative for HIV, HBV, HCV, HTLV, and Syphilis.

Schedule

Four exercises are spread throughout the year; the samples are dispatched with selected 'E' exercises.

There are 10 days for laboratories to test the samples and submit results to

Distribution

Samples are dispatched by Royal Mail first class. Repeat samples can be requested free of charge.



Data entry

A new data entry website is being designed specifically for the ANT scheme and will be ready in 2019, allowing quick and easy login and result entry.

Information gathered will include the reaction grades for each dilution, the reported titre result, the technique and cell used, as well as theoretical clinical follow up. The below image is for the D typing scheme.

Date Received:	20/06/2018	20/06/2018 02:25 PM					
Assay Date:	20/06/2018	02:25 PM					
Patient 1 Patient 2 F	Patient 3					Instructions	
Sample quality						Patient 2	
Sa	ample quality	Satisfactory			•		
Results						Patient 2	
ar	nti-D reagent	Strong Positive			*		
Cor	ntrol reagent	Negative			٠		
D-it	nterpretation	Positive			٠		
					_		
Save Patient 2					Su	bmit your results	

Reports

New reports have been designed specifically for this scheme. They cover overall and individual results, as well as comments on any interesting findings.

UK NEQAS	Advantal Teacher Flad Blood Transferior Calenatory Practice	Caloratory.	UK NEQAS	Arteratel Tenden Net Boot Tendulor Udorstry Pactor	Laboratory	UK NEQAS	Antenator Totalism Plat Blood Transfusion Laboratory Pro		
	Debilister: 10'84971 Dels 83-934	**		Datibular 125421 Date 15-15	aem.		Oscillation (210807) Date	10-10-2018	
Hestudion			Toulor results and details of leading 10	194671		Fallow up of Case 1			
This is the first exercise in the Anternal antibuly Titration (AVF)/Plus Enterne.		4244 (2274) and PER (1922 on the during to play	ins dubos which have ("his used USS based dhar	In a similar divicel case and given the line attained					
The please sample was provided along with a divised assume in which the sample was from a woman booking in an antipotent divis at 12		and one CHL		ered (MT) would have made of adviced as	4040 (MPS) would have made of advised a referral to a field reachine specialist.				
weeks peciation. His medice was given that the sample fractionen found is contain and 4 and the normal's paritien had been typed as 4. another.		ADV7 (BTN) used softs with heterophysic expression convict the UK.	- (N) for Bollon, while has (N/h) about that they have	2287 (1956 analy anothin the streets in	tury of the women				
Educations were asked to which a solidity social for Watton, and its theat the unit of using the primary RF individuals as would be used for dimarkampters, reporting the marking strength for anal-disales and live time that marking reported.			At of these using inclusions after their take belowed the menufacturer's instructions for use, analysis, one that do not conside this			2047 (074) would required a regred sample			
			information.		2016 (UTS) analy whe has sample to the linear services for confirmation (this holidate. Ut that are linear annua latere when 1549 (UTS) would not only the complex, the orthogon commented that they had the segured expertise in house.				
Material									
The following material was provided.			1815ANT1 all results			Discussion			
-Sergin for Seas 1 (anti-2)			16 L .		What is units sample of Boulour outcoments supprised in File sourcise (hum 22 to 1024). He was regardly of results 4040 same white one disalour of the median. Two of the three sudging results same similated by take.				
Return role / dets analysis	to 15 and Tenado of Internet PDD and 17 counts of 1					Although the majority (2011) well-bed red on variables could have larger introduced by the	h heleropposite the Kantigen, also only for t an of allerest exempts of Gradu.	Table was to product.	
The plant and interfactor is for international, in an	For the and Reporter of Homese (Har), and 17 reduces of P	a UK. Results sets inturtial	30 10 M 100 20 100	100 104		The seads to bedrology are defined to	to report for internet, but the internets in it, assess	a at weats topitor in the	
ADV7 (CO.P.) of the International Advantation	entertaine protocolate intertaine in calorinal providers.					where m is the UK, then MDI patients	et ² state a generic lite (22) is trigger failbur a relaxiest are intented. This is in central 6,492		
Rd all Monitoles analesed all paretions, so the	be online for guelomain data varies.					of this for action, such as acceptance or	AND transplant programmes, vary Selward fram	plant on the	
			Figure 2 - This by indensingy			is a static data are boild associated in	the exercise. Unstall be expected that a referral of	with the static is a field one	
Reported sample quality			Titre by Technology			spacialist for monitoring, as all examples of h	spilar artificities disubline selarat reperiless o	res.	
Neported sample quality Visionalities much i sticketer wrate suit						Toubles for their groups and red o	d arthory testing in programs Machanaka		
			6			(11020-H)			
			1.	- 10 M					
Policy for Realism for laboratories and			1.	works.					
DHI (CT) data hat he previne sample (Fare			11 1. 1.						
tine (2%) may be MBC souther and 0 to a	ander with each literatur performant.								
			Table 7 drove your wead and second data for the C	Montheles whether works					
		Table 1 - Your result, moden and surge for WEARPT							
			Com 1 per		Tite				
			Yor weat	G					
			Moder (# Schrutiges)						
			Resp. (al including/m)	32-124					
Scharte Desilor Or Witteday		Terapri							
A MEGAG (RTLP), POIBLE VIE, AMERICADING IN 144 (170) RF 7014 Process (170) RF 7014	DNP. (X. E-Copyright Nation (X. NECK) report only the challenge alternal free	the are cardidential, and no							
	The Baset - Annoted report replacing proving writer.					Period of 14 d or Hedrowsky, 24 October, 2018	First Report - American report replacing province	water toget and a feet of 1	